

Montageanleitung – Editor / Hyde Race

Gates Carbon Drive™ Belts are extremely durable and offer long life when properly handled. However, caution must be used before and during installation to avoid damaging the carbon tensile cords that make up the backbone of the belt's strength. Excessive bending and twisting creates crimps which can lead to belt breakage under high load.

Do not back bend



Do not use as a chainwhip



Do not bundle



Do not crimp



Do not twist



Do not invert

Durch unsachgemäße Handhabung können Carbon Fasern im Inneren des Riemens brechen!

Montageanleitung – Editor / Hyde Race



WARNING: when installing the belt, do not pry the belt onto sprocket or “roll” the belt on by rotating cranks. Doing so could damage the belt and lead to failure. Belt must be installed loosely and then tension when in place.




Do not pry



Do not roll

Montageanleitung – Editor / Hyde Race

1. Entfernen des Schlittens am rechten Ausfallende



2. Öffnen des hinteren Rahmendreiecks und Hineinführen des Riemens



Montageanleitung – Editor / Hyde Race

3. Verschrauben der Rahmenöffnung und Montage des Schlittens



4. Lockern beider Schlitten, um sie ganz nach vorn zu schieben (Herausdrehen der Justierschraube!)



Montageanleitung – Editor / Hyde Race

5. Einbau des Hinterrades und vorsichtiges Aufspannen des Riemens



6. Einstellen der Riemenspannung, der Hinterradposition u. Riemenposition auf dem Ritzel über Justierschrauben links u. rechts



Montageanleitung – Editor / Hyde Race

7. Festziehen der beiden Schlitten - 10Nm

